
## States of Matter

<u>Note:</u> As per the revised CBSE curriculum, this chapter has been removed from the syllabus for the 2020-21 academic session.

- Matter can be classified as solid, liquid and gas on the basis of interparticle forces and the arrangement of particles.
- These three forms of matter are interconvertible by increasing or decreasing pressure and temperature. For example, ice can be converted from solid to a liquid by increasing the temperature.

| Property                 | Solid                        | Liquid                                  | Gas                               |
|--------------------------|------------------------------|---|-----------------------------------|
| Shape and volume         | Fixed shape and volume       | No fixed shape but has volume           | Neither definite shape nor volume |
| Energy                   | Lowest                       | Medium                                  | Highest                           |
| Compressibility          | Difficult                    | Nearly difficult                        | Easy                              |
| Arrangement of molecules | Regular and closely arranged | Random and little sparsely arranged     | Random and more sparsely arranged |
| Fluidity                 | Cannot flow                  | Flows from higher to lower level        | Flows in all<br>directions        |
| Movement                 | Negligible                   | Depends on interparticle attraction     | Free, constant and random         |
| Interparticle space      | Very less                    | More                                    | Large                             |
| Interparticle attraction | Maximum                      | Medium                                  | Minimum                           |
| Density                  | Maximum                      | Medium                                  | Minimum                           |
| Rate of diffusion        | Negligible                   | It depends on interparticle attraction. | Maximum                           |

Atomic view of the three states of matter



#### Evaporation

The phenomenon by which molecules in liquid state undergo a spontaneous transition to the gaseous phase at any temperature below its boiling point is called evaporation.

For example, the gradual drying of damp clothes is caused by the evaporation of water to water vapour.

## **Factors affecting evaporation**

- **Temperature:** The rate of evaporation increases with an increase in temperature.
- Surface area: The rate of evaporation increases with an increase in surface area.
- Humidity: The rate of evaporation decreases with an increase in humidity.
- Wind speed: The rate of evaporation increases with an increase in wind speed.

## **Cooling due to evaporation**

During evaporation, the particles of a liquid absorb energy from the surroundings to overcome the inter-particle forces of attraction and undergo the phase change. The absorption of heat from the surrounding makes the surrounding cool.

For example, sweating cools down our body.

## **Physical Nature of Matter**

- A physical property is that aspect of the matter that can be observed or measured without changing its nature or composition.
- It is independent of the amount of matter present.

 Physical properties include appearance, colour, odour, density, texture, melting point, boiling point, solubility, etc.

#### Characteristics of Particles of Matter

#### Matter

Matter is anything that has mass and occupies space.

- Everything that we can touch, see, hear, taste and also smell is matter.
- It is made up of really tiny particles which cannot be seen through the eye.

The particles of which the matter is comprised influence its state and properties (physical and chemical).

## 1. Particles of matter have spaces between them

• This characteristic is one of the concepts behind the solubility of a substance in other substances. For example, on dissolving sugar in water, there is no rise in water level because the particles of sugar get into the interparticle spaces between the water particles.

## 2. Particles of matter are always in motion

- Particles of the matter show continuous random movements due to the kinetic energy they possess.
- A rise in temperature increases the kinetic energy of the particles, making them move more vigorously.

## 3. Particles of matter attract each other

In every substance, there is an interparticle force of attraction acting between the particles. To break a substance we need to overcome this force. The strength of the force differs from one substance to another.

#### **Diffusion**

When the particles of matter intermix on their own with each other, the phenomenon is called diffusion. For example, spreading of ink in water.

- During diffusion, the particles occupy the interparticle spaces.
- The rate of diffusion increases with increase in the temperature, due to increase in kinetic energy of the particles.

## Can Matter Change Its State?

## Effect of change of temperature on state of matter

On increasing temperature, the kinetic energy of the particles of the matter increases and they begin to vibrate with a higher energy. Therefore, the interparticle force of attraction between the particles reduces and particles get detached from their position and begin to move freely.

- As a result, the state of matter begins to change.
- Solids undergo a phase change to form liquids.
- Similarly, liquids also undergo a phase change to form gases.

## **Melting point**

The melting point of a solid is defined as the temperature at which solid melts to become liquid at the atmospheric pressure.

• At melting point, these two phases, i.e., solid and liquid are in equilibrium, i.e., at this point both solid state and liquid state exist simultaneously.

#### **Boiling point**

The boiling point of a liquid is defined as the temperature at which the vapour pressure of the liquid is equal to the atmospheric pressure.

#### Latent heat of fusion

It is the amount of heat energy that is required to change 1 kg of a solid into liquid at atmospheric pressure at its melting point.

## Latent heat of vaporisation

It is the amount of heat energy that is required to change 1 kg of a liquid into gas at atmospheric pressure at its boiling point.

#### **Sublimation**

The transition of a substance directly from its solid phase to gaseous phase without changing into the liquid phase (or vice versa) is called **sublimation**.



Sublimation – Solid to Gas Phase Transformation

## Effect of change in pressure on state of matter

By applying pressure, the interparticle spaces between particles of matter decreases. Thus, by applying pressure and reducing temperature we can convert a solid to liquid and a liquid to gas.

#### Flowchart for inter-conversion of the three states of matter

